

Assembly of genetic constructs for analysis of three promoters in plants

Maria S. Gancheva¹, Daria D. Safronova², Ekaterina V. Valitova²,
Michail A. Dulesov², Arina E. Chebykina², Yaroslav E. Solovyov²,
Tatiana V. Semenova², Kseniya M. Mamonova², Andrey M. Volchkov²,
Darina M. Fomina², Sofia S. Korneva², Ludmila A. Lutova¹

¹ Saint Petersburg State University, Saint Petersburg, Russia;

² Sirius University, Sochi, Russia

To study the processes of plant development, it is often necessary to find out in which tissues and cells the gene is expressed. To do this, genetic constructs with promoters and fluorescence reporters are used.

The aim of our work is to create a construct for the simultaneous analysis of the activity of three promoters: auxin-responsive DR5 promoter, cytokinin sensor TCS, and any other promoter necessary for research purposes. We have selected fluorescent proteins with different spectral characteristics that make it easy to distinguish them from each other: red (mCherry), blue (TagBFP), green (mNeonGreen). Hygromycin B resistance gene we use to select transgenic plants. For cloning, we used the MoClo vector system. So far, we have created 5 plasmids containing hygromycin resistance gene, *mCherry*, *mTagBFP*, and *DR5* and *TCS* promoters. The next step is to create a single vector that will contain all components.

This work was supported by the Ministry of Science and Higher Education of the Russian Federation in accordance with agreement No. 075-15-2022-322 date 22.04.2022 on providing a grant in the form of subsidies from the Federal budget of Russian Federation. The grant was provided for state support for the creation and development of a World-class Scientific Center "Agrotechnologies for the Future".

AUTHORS' INFO

Maria S. Gancheva, PhD, Saint Petersburg State University, Saint Petersburg, Russia.

E-mail: ganchovai@gmail.com

Daria D. Safronova, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiaگان@mail.ru

Ekaterina V. Valitova, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiaگان@mail.ru

Michail A. Dulesov, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiaگان@mail.ru

Arina E. Chebykina, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiaگان@mail.ru

AUTHORS' INFO

Yaroslav E. Solovyov, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiagan@mail.ru

Tatiana V. Semenova, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiagan@mail.ru

Kseniya M. Mamonova, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiagan@mail.ru

Andrey M. Volchkov, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiagan@mail.ru

Darina M. Fomina, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiagan@mail.ru

Sofia S. Korneva, Student, Sirius University of Science and Technology, Sochi, Russia.

E-mail: vaiagan@mail.ru

Ludmila A. Lutova, Doctor of Science, Professor, Department of Genetics and Biotechnology, Saint Petersburg State University, Saint Petersburg, Russia. E-mail: la.lutova@gmail.com